

2

TOMORROW'S WORKPLACE TODAY

INTRODUCING THE bizhub i-SERIES FROM KONICA MINOLTA

Born from our desire to rethink the role of multifunctional devices in business, our next generation technology sits at the heart of your connected environment. Simply and securely bringing together people, places and devices to change the way you work.

The workplace is changing

- As more tasks move toward individual work in a place of the individual's choice, central offices are becoming hubs for communication.
- As office documents become more digitized and the volume of data increases, centralized management and better access to documents is vital.
- As business data leaks and hacking become more commonplace, the need for security is increasingly critical.

bizhub i-Series is the solution

- With simple operability and highquality performance, bizhub i-Series allows people to complete tasks efficiently and effectively from anywhere.
- With integrated cloud services that offer the right processes at the right time, bizhub i-Series builds more convenient workflows for everyone.
- With next generation security technology built in, bizhub i-Series provides a reliably safe environment for your business.







bizhub caazoi



bizhub c3350i



i-SERIES IS SIMPLE AND SECURE RETHINK IT

We've simplified, secured and enhanced what technology can do for your business.

Key benefits

- Stay in control of your information
- Protect your data and stop virus threats
- Security visibility, implementation and continuity
- The peace of mind to focus on core activities

Intelligent simplicity

With a large touchscreen operation panel, smartphone style user interface, voice control and a display that users can customise with apps from Konica Minolta Marketplace, i-Series is intelligently simple.

Next generation security

The next generation bizhub i-Series comes with the highest security standards built in.
The i-Series is ready for General Data
Protection Regulation (GDPR), with remote backup and offers end-point security.

With our bizhub SECURE services, we tailor the security settings to your needs, so your data is fully protected. And with integrated anti-virus software, it ensures no virus can harm your business.



Designed for people

The stylish new bizhub i-Series looks at home into today's office environment, with contemporary touches like a floating operation panel, rounded edges and LED status indicators.

With a 24° to 90° tilt angle, the large 10.1" tablet style touch panel provides convenient operation for all users, especially those in a wheelchair.

Putting users first

The new i-Series offers a market leading and intuitive smartphone style experience.

In fact, the user experience is so familiar there's practically no learning curve. Most used functions have an identical list-view and are directly visible without scrolling or searching. And as our A4 models operate in precisely the same way, users can be more productive whichever they're working with.








75% of companies said they had experienced disaster recovery failures, resulting in the loss of critical applications and files. Yet 60% don't have a full-scale data recovery plan.

Sources: Disaster Preparedness

Council, FEMA



TOTAL CARE BY BIZHUB SECURE

With bizhub SECURE services, we've made sure your business is fully protected by providing security tailored to your needs. Continuous security gives you one less thing to worry about. And because our team configures everything for you, you'll save time too.

Safe and SECURE

 bizhub SECURE protects the data inside the memory of your i-Series



EMBRACE THE WORKPLACE OF THE FUTURE

bizhub is the touch point for your business and information processing world.

The A4 models are inspired by the same contemporary design and connected technology of our edge IoT platform and work in the same intelligently simple way, there's no need to waste valuable resources on training your staff.

So as your business grows, we will grow with you – seamlessly linking people and places to give a new dimension to document workflow and security management.

INDUSTRY LEADING ENVIRONMENTAL PERFORMANCE

We have invested substantial resources to keep the environmental impact of the bizhub i-Series as low as possible.

Our new eco settings, low temperature fusing toner and weight detection sensor combine to significantly reduce the consumption of energy and paper.

We're also committed to minimizing waste throughout the product's lifecycle.

While our improved consumables and parts use fewer materials and enjoy a longer life, our industry leading air-form packaging solution ensures safe transportation while reducing waste by 20%.

TECHNICAL SPECIFICATIONS

Model Name	Bi-hh C2200i	Bizhub C3320i	Pi-hh C22E0i	
	Bizhub C3300i	Biznub C3320i	Bizhub C3350i	
SYSTEM SPECIFICATIONS				
Panel size/resolution	7" / 800 x 480		10.1" / 1024 x 600	
System memory (standard/max)	3,072 MB	4,096 MB	5,120 MB	
System hard disk	8 GB (standard)	16 GB (standard)	256 GB SSD (standard)	
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n (optional)			
Network protocols	TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNMP; H			
Automatic document feeder (standard)		Up to 80 originals; A6–A4; 50–128 g/m²;	Up to 80 originals; A5–A4; 50–128 g/m²;	
		Dualscan ADF	Dualscan ADF	
Paper input capacity (standard/max)	600 sheets			
Paper tray input (standard)	1x 500 sheets; A6–A4; custom sizes; 60–210 g/m²			
Manual bypass	100 sheets; A6–A4; Custom sizes; 60–210g/r		A5 A4 C0 240 / 2	
Automatic duplexing	A5-A4; 60-210 g/m²	A4; 60-210 g/m ²	A5-A4; 60-210 g/m ²	
Finishing modes (optional)	Group; Sort; Staple (offline)			
Output capacity (standard)	Max. 250 sheets	D 6500 M 106000		
Copy/print volume (monthly)	220 240 V / 50 /60 Her Leve their 1 45 HW	Rec. 6,500 pages; Max. ¹ 96,000 pages		
Power consumption	220–240 V / 50/60 Hz; Less than 1.45 kW	420 520 572 (ithtti)		
System dimension (W x D x H)	420 x 528 x 473 mm (without options)	420 x 528 x 572 mm (without options)	A	
System weight	Approx. 33.2 kg (without options)	Approx. 38.4 kg (without options)	Approx. 39.0 kg (without options)	
PRINTER SPECIFICATIONS				
	1 200 (aguir plant) y 600 dai: 1200 y 1200 da			
Print resolution Print Speed A4 (mana /calcur)	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi			
Print Speed A4 (mono/colour)	Up to 33/33 ppm	6.0/72.000	8.7/0.6.000	
1st print out time A4 (mono/colour)	8.7/9.6 sec. Approx. 13 sec. in mono; 15 sec. in color ²	6.0/7.2 sec	8.7/9.6 sec.	
Warm-up time	- ' '	e). VDc		
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS			
Operating System	Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64);			
	Windows Server 2008 (32/64); Windows Server 2008 R2;			
	Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019;			
Printer fonts	Macintosh OS X 10.10 or later; Unix; Linux; Citrix 80 PCL Latin; 137 PostScript 3 Emulation Latin			
Mobile printing				
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS / Android / Windows 10 Mobile);			
	Konica Minolta Mobile Print (iOS / Android / W	/indows 10 Mobile)·		
	Konica Minolta Mobile Print (iOS/Android/W			
	Mobile Authentication and Pairing (iOS/Andr		Ontional: Google Cloud Print: WiEi Direct	
			Optional: Google Cloud Print; WiFi Direct	
SCANNER SPECIFICATIONS	Mobile Authentication and Pairing (iOS/Andr		Optional: Google Cloud Print; WiFi Direct	
SCANNER SPECIFICATIONS Scan speed (mono/colour)	Mobile Authentication and Pairing (iOS/Andr	roid)		
SCANNER SPECIFICATIONS Scan speed (mono/colour)	Mobile Authentication and Pairing (iOS/Andr	Up to 28/28 ipm in simplex	Up to 45/45 ipm in simplex	
Scan speed (mono/colour)	Mobile Authentication and Pairing (iOS/Andr	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex	
	Mobile Authentication and Pairing (iOS/Andr	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me);	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me);	
Scan speed (mono/colour)	Mobile Authentication and Pairing (iOS/Andr	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);	
Scan speed (mono/colour)	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB;	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB;	
Scan speed (mono/colour) Scan modes	Mobile Authentication and Pairing (iOS/Andr	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan	
Scan speed (mono/colour)	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF;	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF;	
Scan speed (mono/colour) Scan modes	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional:	
Scan speed (mono/colour) Scan modes	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF;	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b;	
Scan speed (mono/colour) Scan modes	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional:	
Scan speed (mono/colour) Scan modes File formats	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF;	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b;	
Scan speed (mono/colour) Scan modes File formats Scan destinations	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b;	
Scan speed (mono/colour) Scan modes File formats Scan destinations COPIER SPECIFICATIONS	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX 2,100 (single + group); LDAP support	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b;	
Scan speed (mono/colour) Scan modes File formats Scan destinations COPIER SPECIFICATIONS	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b;	
Scan speed (mono/colour) Scan modes File formats Scan destinations COPIER SPECIFICATIONS Imaging technology Toner technology	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX 2,100 (single + group); LDAP support Laser Simitri® HD polymerised toner	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b;	
Scan speed (mono/colour) Scan modes File formats Scan destinations COPIER SPECIFICATIONS Imaging technology	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX 2,100 (single + group); LDAP support Laser Simitri® HD polymerised toner Up to 33/33 ppm	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b;	
Scan speed (mono/colour) Scan modes File formats Scan destinations COPIER SPECIFICATIONS Imaging technology Toner technology Copy/print speed A4 (mono/colour) Autoduplex Speed A4 (mono/colour)	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX 2,100 (single + group); LDAP support Laser Simitri® HD polymerised toner	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN Scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b;	
Scan speed (mono/colour) Scan modes File formats Scan destinations COPIER SPECIFICATIONS Imaging technology Toner technology Copy/print speed A4 (mono/colour) Autoduplex Speed A4 (mono/colour) 1st copy out time A4	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX 2,100 (single + group); LDAP support Laser Simitri® HD polymerised toner Up to 33/33 ppm Up to 33/33 ppm 6.0/7.2 sec.	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN Scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX	
Scan speed (mono/colour) Scan modes File formats Scan destinations COPIER SPECIFICATIONS Imaging technology Toner technology Copy/print speed A4 (mono/colour) Autoduplex Speed A4 (mono/colour) 1st copy out time A4 Warm-up time	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct NA	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX 2,100 (single + group); LDAP support Laser Simitri® HD polymerised toner Up to 33/33 ppm Up to 33/33 ppm 6.0/7.2 sec. Approx. 13 sec. in mono; 15 sec. in color²	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN Scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX	
Scan speed (mono/colour) Scan modes File formats Scan destinations COPIER SPECIFICATIONS Imaging technology Toner technology Copy/print speed A4 (mono/colour) Autoduplex Speed A4 (mono/colour) 1st copy out time A4 Warm-up time Copy resolution	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct NA	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX 2,100 (single + group); LDAP support Laser Simitri® HD polymerised toner Up to 33/33 ppm Up to 33/33 ppm 6.0/7.2 sec. Approx. 13 sec. in mono; 15 sec. in color² 600 x 600 dpi	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX	
Scan speed (mono/colour) Scan modes File formats Scan destinations COPIER SPECIFICATIONS Imaging technology Toner technology Copy/print speed A4 (mono/colour) Autoduplex Speed A4 (mono/colour) 1st copy out time A4 Warm-up time Copy resolution Gradation	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct NA	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX 2,100 (single + group); LDAP support Laser Simitri® HD polymerised toner Up to 33/33 ppm Up to 33/33 ppm 6.0/7.2 sec. Approx. 13 sec. in mono; 15 sec. in color² 600 x 600 dpi 256 gradations	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX	
Scan speed (mono/colour) Scan modes File formats Scan destinations COPIER SPECIFICATIONS Imaging technology Toner technology Copy/print speed A4 (mono/colour) Autoduplex Speed A4 (mono/colour) 1st copy out time A4 Warm-up time Copy resolution	Mobile Authentication and Pairing (iOS/Andr Optional: WiFi Direct NA	Up to 28/28 ipm in simplex Up to 56/56 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX 2,100 (single + group); LDAP support Laser Simitri® HD polymerised toner Up to 33/33 ppm Up to 33/33 ppm 6.0/7.2 sec. Approx. 13 sec. in mono; 15 sec. in color² 600 x 600 dpi	Up to 45/45 ipm in simplex Up to 90/90 ipm in duplex Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX // Optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX	

Model Name	Bizhub C3300i	Bizhub C3320i	Bizhub C3350i	
FAX SPECIFICATIONS				
Fax standard		Super G3 (optional)		
Fax transmission		Analogue; i-Fax; Colour i-Fax; IP-Fax		
Fax resolution	N/A	Up to 600 x 600 dpi		
Fax compression	NA NA	MH; MR; MMR; JBIG		
Fax modem		Up to 33.6 Kbps		
Fax destinations		2,100 (single + group)		
USER BOX SPECIFICATIONS				
Storable documents				
Type of user boxes		NA		
Type of system boxes			Secure print; Encrypted PDF print; Fax receipt; Fax polling	
SYSTEM FEATURES				
Security Functions (standard)	ISO 15408 HCD-PP Common Criteria (in	IP filtering and port blocking; SSL2; SSL3 and	ISO 15408 HCD-PP Common Criteria (in	
	evalutation); IP filtering and port blocking;	TLS1.0/1.1/1.2 network communication;	evalutation); IP filtering and port blocking;	
	SSL2; SSL3 and TLS1.0/1.1/1.2 network	IPsec support; IEEE 802.1x support;	SSL2; SSL3 and TLS1.0/1.1/1.2 network	
	communication; IPsec support; IEEE 802.1x	User authentication; Authentication log;	communication; IPsec support; IEEE 802.1x	
	support; User authentication; Authentication	Secure print; Kerberos; Hard drive data	support; User authentication;	
	log; Secure print; Kerberos; Print user data	encryption (AES 256)	Authentication log; Secure print; Kerberos;	
	encryption		Hard drive overwrite; Hard drive data	
			encryption (AES 256); Confidential fax receipt;	
			Print user data encryption	
Security Functions (optional)		Antivirus realtime scanning (Bitdefender®)		
Accounting (standard)	Up to 100 user accounts; Active Directory	Up to 100 user accounts; Active Directory	Up to 1,000 user accounts; Active Directory	
	support (user name + password)	support (user name + password + e-mail + smb	support (user name + password + e-mail +	
		folder); User function access definition	smb folder); User function access definition	
Accounting Functions (optional)	Biometric authentication (finger vein scanner); ID card authentication (ID card reader); Authentication by mobile device (Android/iOS)			
Software	Net Care Device Manager; Data Administrator; Web Connection;		Net Care Device Manager; Data Administrator;	
	Print Status Notifier; Driver Packaging Utility; Lo	Print Status Notifier; Driver Packaging Utility; Log Management Utility		
			Print Status Notifier; Driver Packaging Utility;	
			Log Management Utility	

 $^{^{\}mathrm{1}}$ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- $^{\rm 2}$ Warm-up time may vary depending on the operating environment and usage
- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
 The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will
- vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice. Konica Minolta does not warrant that any specifications mentioned will be error-free.
- $All \ brand \ and \ product \ names \ may \ be \ registered \ trademarks \ or \ trademarks \ of \ their \ respective \ holders \ and \ are \ hereby \ acknowledged$

bizhub c3300i / c3320i / c3350i





















https://www.konicaminolta.hk/hk/en-us/product-category/3/laser-printer

Product appearance, configuration and/or specifications are subject to change without notice. This product is not available for some countries or regions.

KONICA MINOLTA, the KONICA MINOLTA logo, symbol mark, Giving Shape to Ideas, bizhub, INFO-Palette, i-Option and Konica Minolta Optimised Print Services and their respective logos are registered trademarks or trademarks of KONICA MINOLTA, INC. Evernote is a registered trademark or trademark of Evernote Corporation. Android, Google Drive, Gmail, Google Play and Google Cloud Print are registered trademarks or trademarks of Google Inc. in the U.S. and other countries. Mac OS, iPhone, iPad, App Store and AirPrint are registered trademarks or trademarks of Apple Inc. in the U.S. and other countries. iOS is a registered trademark or trademark of Cisco in the U.S. and other countries. Mopria is a registered trademark or trademark of Mopria Alliance Inc. NFC is a registered trademark or trademark of the NFC Forum. All other brands and product names are registered trademarks or trademarks of their respective companies or organisations.



i-Series Search



