

bizhub 360i A3 Monochrome Multifunctional Printers (MFP)





Giving Shape to Ideas

^{2nd Generation bizhub **bizhub i-SERIES**}

TOMORROW'S WORKPLACE TODAY A NEW WAY OF WORKING HAS ARRIVED

i-SERIES SIMPLE SIMPLIFYING WORK

The User Interface has been completely revamped with an operation panel screen with smart-device-style operability. Operation has been simplified by narrowing down functions and screen transitions to frequently-used functions.


Easy-to-use, new operation panel design

The operation panel features a new simple GUI (Graphical User Interface) design. Features including no hard keys and panel vibration feedback reflect familiar smart devices and enable easy use of a variety of IT services. Simplicity of operation has been achieved by concentrating on frequently-used functions to minimise functions and screen transitions.



GUI operation panel with a choice of two panel styles

The user can switch between two panel styles as required: the new GUI Basic Style characterised by simple operation, and the conventional Classic Style utilising advanced settings and functions. Basic Style also offers an intuitive Simple Copy screen.



Quick Copy screen screen

Large buttons allow easy browsing and intuitive operation.
Options are displayed in a list and can be changed with just one touch.





SIMPLE

Simplifying work

The operation panel design has been updated to reflect familiar smart device operation. It offers the user a smarter way of working.

SECURE

Thoroughly protecting office information

Improved security of large-volume office data, and paper documents, significantly reduces the burden on IT managers.

SUSTAINABLE

Always at the forefront

Konica Minolta's remote services support governance and resolve executive concerns and issues.

Large, user-friendly, 10.1-inch touch panel

The 10.1-inch panel has been newly developed from the customer's perspective. It delivers better legibility and ease of operation for enhanced work efficiency. The multi-touch feature enables smooth, intuitive, tablet-like operation.



Make tasks simple with purpose-specific apps

The bizhub 750i series simplifies operatrion with on-screen animated instructions that guide users through tasks. Operations can be performed smoothly in just a few easy steps.

Card shot for ID card copying

Both front and back sides of an ID card can be copied on one sheet of paper in just a few easy steps.



Booklet making


For users who want to create booklets such as magazines.

Non-image area erase function

For users who want to copy with the document cover open, and/or want to omit the shadowy areas around the scanned images of thngs such as books.

Adjustable tilt operation panel

The operation panel can be freely tilted to a maximum of 90 degrees to suit individual users.



Indicator lights

The bizhub 750i series has been installed with a new LED lights that gently harmonise with the office environment. The LEDs are located on the front of the MFP. The data light indicates data receipt or accumulation, and the print light reminds users to collect documents from the output tray.



Voice guidance

Voice guidance offers support such as reading out fax numbers, explaining major screens and keys, and key-related operations. It also assists panel operation and prevents mis-operation.

This function is only for use in enlarged displays on copy, fax and scan screens. Requires i-Option LK-104 v3, key pad KP-102 and device connection I/F kit EK-608 or EK-609.

i-SERIES SIMPLE THOROUGH PROTECTION OF OFFICE INFORMATION

Data security is an ongoing concern in the corporate world. Konica Minolta works tirelessly to keep clients' documents secure, in both digital and paper formats. By including cutting edge security functions in all Konica Minolta technologies, we aim to reduce the burden on IT administrators.

Encrypted SSD

The bizhub 750i series is equipped with a new 256 GB encrypted SSD for heightened security. With very few device compatibility problems, and with full-time encryption, this constantly maintains a high level of security with no fuss.

Secure printing

By setting a password for documents on the printer driver screen, the document is stored on the unit's SSD until the same password is input into the MFP's operation panel. The document is protected and will not be output until the password set for that document is matched. This is useful when you wish to print confidential documents or give permission for limited users to receive copies.



Use PC login user names for easy secure printing

The PC login profile can be used as an ID for secure printing, so the user can print easily and securely once logged in without the trouble of entering his or her ID each time.

Various types of user authentication

Optimal authentication systems can be customised to suit office scale and pre-existing systems. bizhub 750i series also supports single sign-on (SSO) which enhances operability without sacrificing security.

Main unit authentication

Authentication can be performed through the bizhub alone. It is also possible to set detailed usage restrictions for functions, including copy, print, scan and fax*. *Requires Fax Kit FK-514 option.

Non-contact IC card authentication

Non-contact IC cards¹¹ such as FeliCa can be used to authenticate users²². This also supports SSFC (Shared Security Formats Cooperation) specifications which enable integration of staff authentication with authentication systems. Apart from noncontact IC cards, authentication can also be carried out on NFC-compatible Android devices².



- *1 Non-contact IC cards are compatible with FeliCa (IDm), SSFC, FCF, FCF (Campus) and MIFARE (UID).
- *2 Requires the IC card authentication device AU-201S option.
- *3 Requires an Android device later than Android 4.4, compatible with HCE (Post Card Emulation), and Konica Minolta Mobile Print.

Biometric authentication

Highly accurate authentication is possible using finger veins. It's easy, and also enables the building of high-level security systems. Requires Biometric Authentication Device AU-102 option, and Working Table WT-506 option.

Print light for completed outputs

A white LED print light which shows shows the printing status has been added. It lights up when printing is completed to remind the user to collect the printed materials, thus minimising the risk of information leaks.




Virus scanning

The bizhub 750i series is equipped with robust antivirus software based on an

embedded Bitdefender scan engine to ensure safe connection to devices including PCs, tablets, and USB flash drives. Scanning individual files means much finer virus detection than with the whitelist method alone. Latent viruses in the office are discovered through checking and notification when files are input. Checking when files are output from the MFP also prevents dissemination of infected files. Further periodic checking of files in the MFP discovers risky files and detects latent risks in the MFP. Real time virus scan jobs are available for print, scan and fax functions, while manual or scheduled virus scans are possible for folders such as SMB folders on the Box and SSD.

Bitdefender


Requires i-Option LK-116. Requires an internet environment.



Serverless printing in a ubiquitous network

The bizhub 750i series achieves serverless printing in a ubiquitous network that outputs previously sent print jobs from any desired MFP in the office network, after authentication. As a base unit for printing, it works as a print server, which enables the easy, low-cost creation of a serverless printing system for ubiquitous computing.

A print system in a ubiquitous network can be created for up to 100 units. Each MFP requires the i-Option LK-114 option.



Output print job to extension unit

Security watermark function

In addition to the Copy Protect Function, Copy Guard and Password Copy functions for high-level security are available with bizhub 750i series. Printing with a special security watermark embedded into the original prevents unauthorised secondary copying or leakage of confidential documents to third parties.

Requires Security Kit SC-509 option. This is only effective in models equipped with Konica Minolta's security watermark function.

Encrypted PDFs

Password encryption

Documents distributed in PDF format can be password encrypted.

Digital ID encryption

Only authorised recipients with a private key can decrypt. This ensures a far more robust level of security than the previous public key system. If encrypting with Digital ID, the email address (S/MIME send) to which the Digital ID has already been registered must be registered to the MFP's abbreviated address. Requires the i-Option LK-102 v3.

• Electronic signatures

Electronic signatures certify (MFP) document authors, and also guarantee that the document has not been changed and is valid. Certifications by third party organisations can also be used. When using electronic signatures, files should be encrypted using either a password or Digital ID. Requires i-Option LK-102 v3.

Other major security features

•SMTP authentication/POP before SMTP authentication enable security to be set when sending emails.

•SSL/TLS protocol enables encryption of data transmission between networks •Storage Lock Password prevents unauthorised access to the SSD

•TPM (Trusted Platform Module) safely manages confidential information* Requires i-option LK-115 v2

FASEC 1- compliant fax security

Double Address Input prevents erroneous transmission through input error
 Destination Number Confirmation Display prevents erroneous transmission
 due to incorrect dailing

 Dial Tone Detection function prevents erroneous transmission due to call collision

•Memory Receive & PC Forward prevents paper faxes from being left behind •Transmission Result Report and Operation Panel Result Check enables verification of fax transmission

Konica Minolta's original fax security

Send Approval Password function prevents erroneous transmission through thorough checking

•Recipient Confirmation (CSI matching) Send prevents erroneous transmission through incorrect connection

•Voice Guidance when Sending reads out fax number before sending fax to prevent erroneous transmission

Requires i-Option LK-104 v3, Key pad KP-102 and device connection EK-608 / EK-609. • Designated Tray Paper Feed assists security management

Supports VLAN (Virtual LAN)

The bizhub 750i series supports a VLAN function that splits multiple networks logically. Data can be isolated for each network, such as externally vs. internally connected networks, company dedicated vs. guest-only networks, or in shared offices so the bizhub can be used securely.

*For further details please contact your authorised Konica Minolta retailer.

HIGH PRODUCTIVITY

Reduce downtime and boost productivity with a wide range of paper feed options and a sensor that detects paper type.

Intelligent Media Centre*

The bizhub 750i series automatically detects paper types, including paper weight and envelopes. Optimal toner adjustment and feeding of a diverse range of paper enables optimal high-quality printing. * Optional Media Sensor, IM-102 is required



Paper feed cabinet for different paper sizes

PC-417* includes two large capacity paper cassettes which allow paper from one cassette to be fed to the main unit for printing while paper can be refilled into the other cassette. This means there's no need to interrupt printing to replenish paper. The cabinet supports frequently used A4 and B5 paper.

* PC-417 is standard for 750i and optional for 550i/450i/360i.

Manual stapling supported finisher

The manual stapling function in the finisher lets the user quickly re-staple an original document that had its staple removed for copying, or when he or she forgets to choose a staple setting when printing.

Optional finisher FS-539 or FS-539SD or FS-540 or FS-540SD is required.

Multifunctional finisher

750i

360i

stapling

Z folding

Saddle

stitching

550i / 450i

Finishing Functionalities

Compatible

Finisher Models

(Shift sort) function

Stapling functions

Booklet function &

folding functions

Z folding function

Hole-punching

Cover sheet &

Insert sheet

Offset sorting

Models

Depending on the objective, users can select from several types of finish that are automatically processed by the multifunctional finisher, including booklet making, tri-folding, stapling and hole-punching. In

Slightly offsets position of each set of pages

Centre-fold

Two-hole punch

Insert sheet

addition to high-speed output, this function allows in-house production of a variety of outputs and finishes.

nen discharged

Corner stapling

(parallel)*




A wide range of paper feed options

Supports 1,150 sheets paper capacity with standard paper trays and manual bypass tray. Installing optional paper feed cassettes '¹ increases paper capacity to 3,650 sheets. Further installing a large capacity unit escalates maximum paper capacity to 6,650 sheets '².

*1 Standard for 750i.

*2 When installed with paper feed cabinet PC-416 or PC-417 and large capacity paper feed unit LU-302 or LU-303.



Punch kit

Up to 300 gsm

Standard functions

PK-524 🥅

Punch kit

Up to 157 gsm

Standard functions

PK-519

Standard

functions

*1 Installation of a finisher enables in-body paper discharge. A maximum of three discharge locations can be set. For F5-540 and F5-540SD, a maximum of four in-body paper discharges can be set with Job Separator J5-602 installed. *2 750 requires Relay Transport Unit RU-519, and 550(4560); 450(3560); requires Relay Transport Unit RU-513 to be installed. *3 F5-533 requires MK-607 to be installed for 550(4501; 4] J5-508 is for 550(4501; 45-506); so ptional for 3601; so re eterption: encourse to the content on the descent on the

Two-point stapling

(side)

(up to 3 sheets)

Upper two-hole

nunch

Z folding unit ZU-609 🧮

PK-526 🧮

Up to 300 gsm

Post Inserter PI-507

or standard functions

52-90 gsm Punch kit

Tri-fold

apling

(parallel)*

575-540/76-54050/FS-539/75-539SD parallel stapling is only supported for A3, A4 portrait, A4 landscape, B5 portrait and A5 landscape orientations. However, manual setting is required for A3 and A4 landscape. "6FS-533 corner stapling is only parallel. bizhub 360i


COPY / PRINT

Speed up work with a shorter warm-up time

	750i	550i	450i	360i
Warm-up time (until ready to copy) Main power ON > Start button ON	18 sec or less	14 sec or less	15 sec or less	12 sec or less
First copy time (Monochrome) Start button ON > First sheet output	2.8 sec	3.3 sec	3.8 sec	4.6 sec
Panel recovery time		Approx	. 1.5 sec	


Copy both sides of an ID card onto one sheet with Card Shot function

When copying both sides of an irregular-sized original, such as a license or business card, the front and back sides of the card can be automatically arranged to be printed on the same side of one sheet. Easy copying is possible by selecting the Card Shot app on the User Interface.



Reduce toner consumption with the Non-Image Area Erase function

When copying with the cover open, such as for thick books, the original is automatically detected and the shadowy area around the original is omitted. This saves excess toner consumption. Easy operation is possible by selecting the relevant apps on the User Interface.



Lightweight paper trays

Paper trays handle easily and open/ close smoothly with a light press and pull motion. Trays can be removed for retrieval of jammed paper, which equates to less downtime.



Use irregular-sized paper such as postcards and envelopes with paper feed and manual feed trays

Both standard paper trays on the bizhub 750i series are capable of handling irregular-sized paper, including postcards and envelopes, enabling set-up of a wider range of paper. Paper tray 1 has capacity for up to 200 postcards or 70 envelopes for more efficient printing. The 750i series is ideal for offices where space is limited.

Second level paper tray can only handle irregular-sized paper

Paper Size Measurement function

This function automatically measures irregular-sized paper placed on the platen glass and document feeder. The size of the measured paper can also be registered in the bizhub's memory. This is useful for offices that handle irregular paper sizes like slips and vouchers.

Only 750i/550i/450i supports measurements from the document feeder.

Enhanced 1,200 dpi resolution

The bizhub 750i series achieves a 1,200-dpi print resolution with superb ability to reproduce small font sizes and fine lines. Such faithful reproduction capability improves document legibility and produces beautiful, high-quality print-outs. Slows down printing speed.

Print banners up to 1,200 mm with banner printing

Using the optional Banner Paper Guide enables banner printing up to 1,200 mm. bizhub 750i series also supports 90 mm narrow paper so various sized POPs and banners can be created for a wide range of purposes.

Installation of the MK-730 Banner Paper Guide option is recommended.

Print websites displayed on the operation panel with web browser browse and print

The bizhub 750i series supports a web browser function. Websites can be displayed on the operation panel and printed out. Pages in PDF files on the website can be specified and only the required sections printed. This is very handy, allowing easy printing of information such as of destination maps from websites.



Print directly from your USB flash drive

The bizhub 750i series is equiped with a USB port, located on the side of the operation panel. After inserting a USB flash drive, printing procedures pop up in the touch screen, and the flash drive data can be directly printed or saved to a Box in the unit in

a few easy steps.

May not operate correctly depending on the type of USB flash drive. Supported file formats: PDF, compact PDF, JPEG, TIFF, XPS, compact XPS, and

OOXML (.docx/.xlsx/.pptx). Printing results may differ from the image on the PC screen Virus check function requires i-Option LK-116.



Email RX Print

Files can be easily printed out by attaching them to an email and sending it to the machine's email address.

Supported file formats: PDF, Compact PDF, JPEG, TIFF, XPS, Compact XPS, and OOXML (.docx/.xlsx/.pptx). Requires i-Option LK-110 v2.

Other copy functions

•Image Quality Mode to match the original (text, text/photo, photo, faint original, map, copied original)

- •Output Mode that matches application (double-sided printing, page
- aggregation, repeating, grouping, sorting, shifting, booklets, binding margin) Diverse Original Document Scan Modes (continuous scan, mixed originals)
- binding margin, original loading direction, thin paper, Z folded original, dust reduction mode, programmed jobs, blank original removal).
- ·Copy Mode can be set according to objective (book original, consecutive page copying, index originals, catalogue originals)
- •Selectable Layout Adjustment (enlarge/reduce, consecutive enlargement copying, image storage method, mirror imaging, image shift, auto image rotation)
- •Handy "Page Insertion" (coversheet, OHP film, insert sheet, chapter separator, insertion page)
- •Expanding usage with Image Additions (date/time, page number, stamp, watermark, head/footer, overlay, registered overlay)
- •Able to copy required sections only (Frame Erase, Erase Outside)
- •Numerous "Copy Security" functions (Copy Protect, Repeat Stamp, Copy Guard*, Password copy*)
- *Requires Security Kit SC-509 option

Other print functions

• Supports BMLinkS which connects smoothly with office equipment •My Tab Function customises your tab with frequently used settings •Printing to Tab Paper (index paper)

· Carbon Copy Mode prints the original docket and copy at the same time. Different coloured sheets can be loaded to various paper trays if necessary Capable of printing on SRA3 size which is slightly larger than A3

•Auto Trapping Function prints so that there is no white gap around images

Some functions are only compatible in Classic Mode.

MOBILE

Offers a new workstyle through advanced connectivity with mobile devices.

Mobile communications function

Connectivity with NFC-equipped Android devices

The operation panel has a mobile touch area compatible with NFC-equipped devices. Installing Konica Minolta Mobile Print on Android devices allows that device to be registered to bizhub. Just holding the Android device over the mobile touch area enables the selected file to be printed. Scanned documents in the bizhub can also be scanned and saved to Android devices or cloud storage. Where user authentication is enabled, just holding the Android device nearby allows log in.

Requires the Android device to be equipped with OS4.4 or later. Requires a wireless LAN environment.

Bluetooth LE connectivity with iOS devices

Using Bluetooth LE (low energy), a bizhub close to the user can be searched and registered with Konica Minolta Mobile Print. As it is also supported with the iOS action button, printing and scan data sharing from various applications can be smoothly executed. Further, where user authentication is enabled, Bluetooth LE can be used to log in.

Requires the device connection I/F kit EK-609 option. Requires wireless LAN environment.

Create a wireless environment easily with wireless LAN/AP mode

The bizhub 750i series supports Simple Access Point (AP) Mode*, which easily creates a local wireless LAN environment with only the bizhub allowing a wireless LAN to be built separately from the company LAN. Because it bypasses the company LAN, even mobile devices brought in from outside can be securely connected. *Requires Upgrade Kit UK-221 option.



Supporting a range of print services

Konica Minolta Mobile Print

This is a mobile application offered by Konica Minolta. With a simple and intuitive user interface. Connecting a mobile device with bizhub allows fast, secure scan data acquisition, saving to and sharing cloud storage, as well as document and image printing. Authentication Print and Secure Print are also supported enabling worry-free printing of confidential documents.

AirPrint AirPrint



8

SCAN / FAX

The Scan/Fax functions deliver high performance and high functionality from speed, quality and distribution to storage.

Outstanding scan performance

A Dual Scan Document Feeder (DSDF) with automatic duplex, simultaneous scanning achieves high-speed scanning. A large number of sheets can be set at any one time, significantly reducing scanning time and effort. The precision of automatic skew correction, which adjusts the angle of the scanned original, has been greatly improved to deliver highly accurate scanning with less skew.

	750i/550i/450i	360i
DSDF	Standard	Option DF-714
Scanning speed	140 sides / min (280 sides / min for duplex)	100 sides / min (200 sides / min for duplex)
Paper capacity	300 sheets	100 sheets



Double feed detection sensor

Applying ultrasonic waves to the original distinguishes a layer of air between each page and detects double feeds. When a double feed is detected, a preview of the original that has already been scanned will be displayed so that the job can be restarted without repeating the whole scanning operation from the beginning. When equipped with the optional DSDF DF-714 for 360i.

Send large volume scan data with ease using the Scan to URL function

Equipped with a Scan to URL function which stores Scan data within the bizhub, then emails the storage destination URL to the user. This enables easy transmission of large volume data that cannot be attached to emails.

Send scan data instantly to your own email address with "Scan (email to me)"

Users can send scan data such as for receipts and payment slips to themselves immediately. This can also be done securely with the authentication setting. As the "Scan (email to me)" button is on the home screen, the data can be scanned and sent quickly in a few easy steps.

Check and print received faxes with Compulsory Memory Receive Box*

Received faxes can be checked, managed and printed in a few easy steps by setting the Compulsory Memory Receive Box in the home screen. As the user can select which faxes need to be printed, this function is effective in preventing unnecessary outputs, thus reducing printing costs.


*This application is not yet available but will be available soon.

Exclude blank documents from being scanned with blank original removal function

Blank sheets from original documents set on the ADF can be excluded from scanning. Documents detected as blank sheets will not be counted as a page.

Box storage of received data promotes a paperless environment

Received fax data is automatically sorted according to TSI (Transmitting Subscriber Identification) and automatically stored in the bizhub's Box. Setting automatic transfer to client PC or email addresses saves both effort and cost in sorting and distributing received documents. Forwarding to the bizhub's SMB shared folder is also possible. The bizhub 750i series can also handle functions such as forwarding faxes and TSI-sorted received faxes. The increase in storage destinations for received faxes will further promote a paperless environment.





Digitisation of paper documents

Documents can be scanned and converted to PDF or OOXML format files. File format can be selected according to the business and intended use, which broadens the scope of secondary use.

Scan to PDF / Scan to OOXML image (with LK-110 v2 installed)



Applying OCR to a document produces searchable text

Microsoft Office etc. enables reuse of images and text.


File conversion formats and required options (i-Option) LK-102 v3 LK-105 v4 LK-110 v2 PDF/A (long-term archiving) Web-optimised PDF (linearised PDF) Encrypted PDF (digital ID) Searchable PDF (OCR) \checkmark OOXML file √*1 (extension: docx/.xlsx/.pptx) conversion OOXML file \checkmark **√***2

(extension: docx/.xlsx/.pptx) conversion +OCR

*1 pptx conversion is a standard function, but the OCR function requires either LK-105 v4 or LK-110 v2.

Improve scan job efficiency

Scanned originals can be converted to a variety of document formats according to the application and stored in the bizhub's box or a USB flash drive. They can also be sent and stored to a PC or server via email, SMB, FTP, or Web DAV.



Requires i-Option LK-110 v2

Other main scan and fax functions

•Super G3 Standard achieves high speed sending of approx. 2 seconds •Direct Fax, paperless sending from a PC


- •Convert received data into a Searchable PDF format* * Requires i-Option LK-110 v2
- •Maximum 2-phone line FAX Function can aggregate multiple faxes
- •W-NET FAX compatibility for broad Internet fax interchangeability
- •IP Adress Fax (T.38 FAX) reduces transmission costs* * Requires i-Option LK-117 and Fax kit FK-514
- •Address Storage for a maximum of 2000 addresses (100 groups) •Banner Scan scans long originals from the ADF

Task Automation Tools

Sold separately

Dispatcher Phoenix

Dispatcher Phoenix automates digitised document processes from file aggregation to processing and distribution. By dividing processes via pre-set conditions, such as OCR processing, file renaming and barcode scanning, each document is automatically stored at a destination. This delivers one-touch execution of cumbersome tasks. Start times can be scheduled so that digitised tasks can be executed quickly and efficiently. Broad scalability and versatility, including connectivity with cloud services, enable creation of flexible workflows tailored to the customer's business and office environment.



Some functions are only compatible in Classic Mode.

DESCRIPTION

ENHANCED FEATURES

ENHANCED FEATURES	
LK-104v3 Voice guidance	Supports voice guidance
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX; XLSX and PDF/A
LK-111 ThinPrint [®] Client	Print data compression for reduced network impact
LK-114 Serverless pull printing	Secure and Follow Me printing solution
	requiring no server application
LK-116 Antivirus	Bitdefender [®] Antivirus provides real time scanning
	of all incoming/outcoming data
LK-117 T.38 IP fax	Fax over IP networks (T.38), requires fax kit
CONNECTIVITY	
FK-514 Fax board	Super G3 fax, digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection; Bluetooth
AU-102 Biometric authentication	Finger vein scanner
AU-201S ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader

DF-632 Document feeder	Reversing automatic document feeder, capacity 100 originals
DF-714 Document feeder	Dual scan document feeder, capacity 100 originals
OC-511 Original cover	Cover instead of ADF
WT-506 Working table	Authentication device placement
KP-102 10-Key pad	For use instead of touchscreen
IM-102 Image sensor	For detecting types of media
SC-509 Security kit	Copy guard function / password copy
EM-908 Replacement SSD	1TB SSD to increase storage space
KH-102 Keyboard holder	To place USB keyboard
CU-102 Air cleaning unit	Improving indoor air quality by reduced emissions
MEDIA INPUT	
PC-216 Paper feed cabinet	2x 500 sheets, A5-A3, 52-256 g/m ²
PC-416 Paper feed cabinet	2,500 sheets, A4, 52-256 g/m ²
MK-730 Banner paper guide	Banner paper feeding
DK-516 Desk	Provides storage space for print media and other materials
MEDIA OUTPUT	
FS-533 Inner finisher	50-sheet stapling, 500 sheets max. output
PK-519 Punch kit for FS-533	2/4 hole punching, autoswitching
FS-539/SD Staple finisher	50-sheets stapling or 48 sheets +2 coversheets (up to $209g/m^2$);
	3,200 sheets max output
FS-539SD Booklet finisher	50-sheets stapling ; 20 sheets booklet finisher or 19 sheets +
	1 cover sheet (up to 209g/m ² icon)
	2,200 sheets max. output
PK-524 Punch kit for FS-539/SD	2/4 hole punching; autoswitching
RU-513 Relay unit	For FS-539/SD installation
JS-506 Job separator	Separation of fax output; etc.

OTHERS

TECHNICAL SPECIFICATIONS

System speed A4	Up to 36 ppm
360i	
Autoduplex speed A4	Up to 36 ppm
360i, 300i	
1st page out time A4	within 4.6 sec
360i, 300i	
Warm-up time*1	within 12 sec
360i, 300i	
Imaging technology	Laser
Toner Technology	Simitri [®] HD polymerised toner
Panel size/resolution	10.1" / 1024 x 600
System memory	8GB
System storage (standard/optional)	256 GB SSD / 1TB SSD
Interface	10/100/1,000-Base-T Ethernet; USB 2.0;
	Wi-Fi 802.11 b/g/n (optional)
Network protocols	TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNMP;
	HTTP(S); Bonjour
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-163 g/m ² ;
	DF-632 RADF
	DF-714 DSDF
Paper input capacity (standard/max)	1,150 sheets / 6,650 sheets
Paper tray input	1x 500 sheets; A6-A3; custom sizes; 52-256 g/m^2
	1x 500 sheets; A5-SRA3; custom sizes; 52-256 g/m^{2}
Paper tray input (optional)	PC-216 2x 500 sheets; A5-A3; 52-256 g/m ²
	PC-416 1x 2,500 sheets; A4; 52-256 g/m ²
	PC-417 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m ²

Manual bypass	150 sheets; A6-SRA3; Custom sizes; Banner; 60- 300 g/m ²
Automatic duplexing	A5-SRA3; 52- 256 g/m ²
Output capacity	Max. 250 sheets
Finishing modes	Offset; Group; Sort; Staple; Punch; Half-fold; Tri-fold; Booklet
Power consumption (optional)	220-240 V / 50/60 Hz; Less than 1.58 kW
System dimension (W x D x H)	615 x 688 x 779 mm (without options)
System weight	Approx. 76 kg (without options)
PRINTER SPECIFICATIONS	
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Print Speed A4	Up to 36ppm
360i	
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating System	Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64
	Windows Server 2008 (32/64); Windows Server 2008 R2;
	Windows Server 2012; Windows Server 2012 R2;
	Windows Server 2016; Windows Server 2019;
	Macintosh OS X 10.10 or later; Unix; Linux; Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Mobile printing	AirPrint (iOS); Mopria (Android);
	Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile);
	Mobile Authentication and Pairing (iOS/Android)
	WiFi Direct

TECHNICAL SPECIFICATIONS

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	DF-714 300dpi simplex 80/80 ipm, 300dpi duplex 160/160 ipm
	200dpi simplex 100/100 ipm, 200dpi duplex 200/200 ipm
	DF-632 300dpi simplex 80/80 ipm , 300dpi duplex 37/37 ipm
Scan modes	Scan-to-email (Scan-to-Me); Scan-to-SMB (Scan-to-Home);
	Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV;
	Scan-to-URL; TWAIN scan
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF;
	XPS; Compact XPS; PPTX
	Optional: Searchable PDF; PDF/A 1a and 1b;
	Searchable DOCX/PPTX/XLSX
Scan destinations	2,000 destinations + 100 groups; LDAP support

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-9,999
Original format	A6–A3; Custom sizes
Magnification	25–400% in 0.1% steps: Auto-zooming

FAX SPECIFICATIONS (OPTIONAL)

Fax standard	Super G3
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,000 destinations + 100 groups

USER BOX SPECIFICATIONS

Storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public; Personal (with password or authentication);
	Group (with authentication)
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt; Fax polling

SYSTEM FEATURES	
Security Functions	ISO 15408 HCD-PP Common Criteria (in evalutation); IP filtering
	and port blocking; SSL3 and TLS1.0/1.1/1.2 network
	communication; IPsec support; IEEE 802.1x support;
	User authentication; Authentication log; Secure print; Kerberos;
	Hard disk overwrite; Hard disk data encryption (AES 256);
	Memory data auto deletion; Confidential fax; Print user data
	encryption
Security Functions (optional)	Antivirus realtime scanning (Bitdefender®);
	Copy protection (Copy Guard, Password Copy)
Accounting	Up to 1,000 user accounts; Active Directory support (user name +
	password + e-mail + SMB folder); User function access definition;
	Authentication by mobile device (Android)
Accounting Functions (optional)	Biometric authentication (finger vein scanner);
	ID card authentication (ID card reader);
	Authentication by mobile device (iOS)
Software	Net Care Device Manager; Data Administrator; Box Operator;
	Web Connection, Print Status Notifier; Driver Packaging Utility;
	Log Management Utility

¹Warm-up time may vary depending on the operating environment and usage

All specifications refer to A4-size paper of 80 g/m^2 quality.

- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a
 particular page size (6% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories. Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- All information stated in the brochure is correct at time of printing and subject to change without notice. All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged













Apple AirPrint







bizhub 360i

https://www-org-hk.konicaminolta.com/hk/en-us/product-item/1-2/

Product appearance, configuration and/or specifications are subject to change without notice. This product is not available for some countries or regions.

KONICA MINOLTA, symbol mark, Giving Shape to Ideas, bizhub, Konica Minolta Optimised Print Services logo and bizhub SECURE logo are registered trademarks or trademarks of KONICA MINOLTA, INC, Android, Google, and Conjust A MiNOL IA, symbol mark, Giving Shape to loads, Dizhub, Konica Minota Optimised Print services logo and Dizhub SECURE logo are registered trademarks or trademarks of Apple Inc. In the U.S. and other countries. Inc. Machine Comparison of the services logo and Dizhub SECURE logo are registered trademarks or trademarks of Apple Inc. in the U.S. and other countries. Mac and App Store are registered trademarks or trademarks of SApple Inc. in the U.S. and other countries. Mac and App Store are registered trademarks or trademarks of Mopria Alliance Inc. Bluetooth is a registered trademark or trademarks of Mopria Alliance Inc. Bluetooth is a registered trademark or trademarks or trademarks of Microsoft Corporation in the U.S. or other countries. Bidefinder logo are registered trademarks or trademarks or trademarks of Microsoft Corporation in the U.S. or other countries. Bidefinder logo are registered trademarks or trademarks or trademarks of Microsoft trademarks or trademarks or trademarks or trademarks of Microsoft trademarks or tradem iOS is a

🗥 Requirements for safe use



From consulting, system design, to operations, Konica Minolta offers total support to optimise your office output environment.

NT SERVICES TM https://www.konicaminolta.hk/hk/en-us/digital-office-detail/34-48-166/

Konica Minolta Business Solutions (HK) Limited

Room 208, 2/F, Eastern Centre, 1065 King s Road, Quarry Bay, Hong Kong Hotline: (852) 2565 2111

f Konica Minolta Hong Kong in Konica Minolta Business Solutions Hong Kong

Please read and follow the instruction manual to ensure safe operation. • Only operate using appropriate power supply and voltage. • Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).

bizhub Search

