

TOMORROW'S WORKPLACE TODAY

INTRODUCING THE bizhub i-SERIES FROM KONICA MINOLTA

Born from our desire to rethink the role of multifunctional devices in business, our next generation technology sits at the heart of your connected environment. Simply and securely bringing together people, places and devices to change the way you work.

The workplace is changing

- As more tasks move toward individual work in a place of the individual's choice, central offices are becoming hubs for communication.
- As office documents become more digitized and the volume of data increases, centralized management and better access to documents is vital.
- As business data leaks and hacking become more commonplace, the need for security is increasingly critical.

bizhub i-Series is the solution

- With simple operability and highquality performance, bizhub i-Series allows people to complete tasks efficiently and effectively from anywhere.
- With integrated cloud services that offer the right processes at the right time, bizhub i-Series builds more convenient workflows for everyone.
- With next generation security technology built in, bizhub i-Series provides a reliably safe environment for your business.





i-SERIES IS SIMPLE AND SECURE RETHINK IT

We've simplified, secured and enhanced what technology can do for your business.

Key benefits

- Stay in control of your information
- Protect your data and stop virus threats
- Security visibility, implementation and continuity
- The peace of mind to focus on core activities

Intelligent simplicity

With a large touchscreen operation panel, smartphone style user interface, voice control and a display that users can customise with apps from Konica Minolta Marketplace, i-Series is intelligently simple.

Next generation security

The next generation bizhub i-Series comes with the highest security standards built in.
The i-Series is ready for General Data
Protection Regulation (GDPR), with remote backup and offers end-point security.

With our bizhub SECURE services, we tailor the security settings to your needs, so your data is fully protected. And with integrated anti-virus software, it ensures no virus can harm your business.



Designed for people

The stylish new bizhub i-Series looks at home into today's office environment, with contemporary touches like a floating operation panel, rounded edges and LED status indicators.

With a 24° to 90° tilt angle, the large 10.1" tablet style touch panel provides convenient operation for all users, especially those in a wheelchair.

Putting users first

The new i-Series offers a market leading and intuitive smartphone style experience.

In fact, the user experience is so familiar there's practically no learning curve. Most used functions have an identical list-view and are directly visible without scrolling or searching. And as our A3 models operate in precisely the same way, users can be more productive whichever they're working with.







75% of companies said they had experienced disaster recovery failures, resulting in the loss of critical applications and files. Yet 60% don't have a full-scale data recovery plan.

Sources: Disaster Preparedness

Council, FEMA



TOTAL CARE BY BIZHUB SECURE

With bizhub SECURE services, we've made sure your business is fully protected by providing security tailored to your needs. Continuous security gives you one less thing to worry about. And because our team configures everything for you, you'll save time too.

Safe and SECURE

bizhub SECURE protects the data inside the memory of your i-Series



EMBRACE THE WORKPLACE OF THE FUTURE

bizhub is the touch point for your business and information processing world.

The A3 models are inspired by the same contemporary design and connected technology of our edge IoT platform and work in the same intelligently simple way, there's no need to waste valuable resources on training your staff.

So as your business grows, we will grow with you – seamlessly linking people and places to give a new dimension to document workflow and security management.

INDUSTRY LEADING ENVIRONMENTAL PERFORMANCE

We have invested substantial resources to keep the environmental impact of the bizhub i-Series as low as possible.

Our new eco settings, low temperature fusing toner and weight detection sensor combine to significantly reduce the consumption of energy and paper.

We're also committed to minimizing waste throughout the product's lifecycle.

While our improved consumables and parts use fewer materials and enjoy a longer life, our industry leading air-form packaging solution ensures safe transportation while reducing waste by 20%.

TECHNICAL SPECIFICATIONS

Model Name	Bizhub C360i	Bizhub C300i	Bizhub C250i	
SYSTEM SPECIFICATIONS				
Panel size/resolution	10.1" / 1024 x 600			
System memory (standard/max)	8,192 MB			
System hard disk	256 GB (standard)			
Interface	10/100/1,000-Base-T Ethernet; USB 2.0); Wi-Fi 802.11 b/g/n (optional)		
Network protocols	TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNM	IP; HTTP(S); AppleTalk; Bonjour		
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-163 g/m	²; RADF or Dualscan ADF available		
Paper input capacity (standard/max)	1,150 sheets / 6,650 sheets			
Paper tray input (standard)	1x 500 sheets; A6–A3; custom sizes; 52-	256 g/m²		
	1x 500 sheets; A5–SRA3; custom sizes; 52–256 g/m²			
Paper tray input (optional)	2x 500 sheets; A5–A3; 52–256 g/m²	2x 500 sheets; A5–A3; 52–256 g/m²		
Manual bypass	150 sheets; A6–SRA3; Custom sizes; Banner; 60–300 g/m²			
Automatic duplexing	A5-SRA3; 52-256 g/m ²			
Finishing modes (optional)	Offset; Group; Sort; Staple; Punch; Half-fold; Letter-fold; Booklet			
Output capacity (standard)	Max. 250 sheets			
Output Capacity (optional)	Max. 3,300 sheets			
Stapling	Max. 50 sheets or 48 sheets + 2 cover sh	eets (up to 209 g/m²)		
Letter fold	Max. 3 sheets			
Letter fold capacity	Max. 30 sheets; unlimited (without tray)			
Booklet	Max. 20 sheets or 19 sheets + 1 cover sheet (up to 209 g/m²)			
Booklet output capacity	Max. 100 booklets; unlimited (without to	Max. 100 booklets; unlimited (without tray)		
Power consumption	220-240 V / 50/60 Hz; Less than 1.58 kW			
System dimension (W x D x H)	615 x 688 x 779 mm (without options)			
System weight	Approx. 84.0 kg (without options)			
PRINTER SPECIFICATIONS				
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 120	0 dpi		
Print Speed A4 (mono/colour)	Up to 36/36 ppm	Up to 30/30 ppm	Up to 25/25 ppm	
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS			
Operating System	Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Unix; Linux; Citrix		ver 2008 (32/64); Windows Server 2008 R2; Windows Server 2012;	
			osh OS X 10.10 or later; Unix; Linux; Citrix	
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation	Latin		
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android/			

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi		
Print Speed A4 (mono/colour)	Up to 36/36 ppm	Up to 30/30 ppm	Up to 25/25 ppm
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS		
Operating System	Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012;		
	Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Unix; Linux; Citrix		
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin		_
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android)		
	Optional: Google Cloud Print; WiFi Direct		

PRINTER SPECIFICATIONS (OPTIONAL)

Print controller	Embedded Fiery IC-420
Controller CPU	AMD GX-424CC @ 2.4 GHz
Memory/HDD	2,048 MB / 500 GB
Page description language	Adobe PostScript 3 (CPSI 3020); PCL 6; PCL 5c

SCANNER SPECIFICATIONS

OOM THE LOW LOW TO THE	
Scan speed (mono/colour)	Up to 100/100 ipm in simplex
	Up to 200/200 ipm in duplex
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV;
	Scan-to-URL; TWAIN scan
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX Optional: Searchable PDF; PDF/A 1a and 1b;
	Searchable DOCX/PPTX/XLSX
Scan destinations	2,100 (single + group); LDAP support

Copy resolution 600 x 600 dpi Gradation 256 gradations Multicopy 1–9,999 Original format A6–A3; Custom sizes	Model Name	Bizhub C360i	Bizhub C300i	Bizhub C250i
Toner technology	COPIER SPECIFICATIONS			
Copy/print speed A4 (mono/colour) Up to 36/36 ppm Up to 30/30 ppm Up to 25/25ppm Copy/print speed A3 (mono/colour) Up to 18/18 ppm Up to 15/15 ppm Up to 15/15 ppm Autoduplex Speed A4 (mono/colour) Up to 36/36 ppm Up to 30/30 ppm Up to 25/25ppm 1st copy out time A4 4.6/6.1 sec. 5.0/6.7 sec. 5.2/6.9 sec. Warm-up time Approx. 12 sec. in mono; 13 sec. in color² Approx. 11 sec. in mono; 13 sec. in color² Approx. 11 sec. in mono; 13 sec. in color² Copy resolution 600 x 600 dpi Gradation 256 gradations Multicopy 1-9,999 Original format A6-A3; Custom sizes	Imaging technology	Laser		
Copy/print speed A3 (mono/colour) Up to 18/18 ppm Up to 15/15 ppm Up to 15/15 ppm Autoduplex Speed A4 (mono/colour) Up to 36/36 ppm Up to 30/30 ppm Up to 25/25ppm 1st copy out time A4 4.6/6.1 sec. 5.0/6.7 sec. 5.2/6.9 sec. Warm-up time Approx. 12 sec. in mono; 13 sec. in color² Approx. 11 sec. in mono; 13 sec. in color² Approx. 11 sec. in mono; 13 sec. in color² Copy resolution 600 x 600 dpi Gradation 256 gradations Multicopy 1-9,999 Original format A6-A3; Custom sizes	Toner technology	Simitri® HD polymerised toner		
Autoduplex Speed A4 (mono/colour) Up to 36/36 ppm Up to 30/30 ppm Up to 25/25ppm 1st copy out time A4 4.6/6.1 sec. 5.0/6.7 sec. 5.2/6.9 sec. Warm-up time Approx. 12 sec. in mono; 13 sec. in color² Approx. 11 sec. in mono; 13 sec. in color² Approx. 11 sec. in mono; 13 sec. in color² Copy resolution 600 x 600 dpi Gradation 256 gradations Multicopy 1-9,999 Original format A6-A3; Custom sizes	Copy/print speed A4 (mono/colour)	Up to 36/36 ppm	Up to 30/30 ppm	Up to 25/25ppm
1° copy out time A4 4.6/6.1 sec. 5.0/6.7 sec. 5.2/6.9 sec. Warm-up time Approx. 12 sec. in mono; 13 sec. in color² Approx. 11 sec. in mono; 13 sec. in color² Approx. 11 sec. in mono; 13 sec. in color² Copy resolution 600 x 600 dpi Gradation 256 gradations Multicopy 1–9,999 Original format A6–A3; Custom sizes	Copy/print speed A3 (mono/colour)	Up to 18/18 ppm	Up to 15/15 ppm	Up to 15/15 ppm
Warm-up time Approx. 12 sec. in mono; 13 sec. in color² Approx. 11 sec. in mono; 13 sec. in color² Approx. 11 sec. in mono; 13 sec. in color² Approx. 11 sec. in mono; 13 sec. in color² Copy resolution 600 x 600 dpi Gradation 256 gradations Multicopy 1–9,999 Original format A6–A3; Custom sizes	Autoduplex Speed A4 (mono/colour)	Up to 36/36 ppm	Up to 30/30 ppm	Up to 25/25ppm
Copy resolution 600 x 600 dpi Gradation 256 gradations Multicopy 1–9,999 Original format A6–A3; Custom sizes	1st copy out time A4	4.6/6.1 sec.	5.0/6.7 sec.	5.2/6.9 sec.
Gradation 256 gradations Multicopy 1–9,999 Original format A6–A3; Custom sizes	Warm-up time	Approx. 12 sec. in mono; 13 sec. in color ²	Approx. 11 sec. in mono; 13 sec. in color ²	Approx. 11 sec. in mono; 13 sec. in color ²
Multicopy 1-9,999 Original format A6-A3; Custom sizes	Copy resolution	600 x 600 dpi		
Original format A6-A3; Custom sizes	Gradation	256 gradations		
-	Multicopy	1–9,999		
	Original format	A6–A3; Custom sizes		
Magnification 25–400% in 0.1% steps; Auto-zooming	Magnification	25–400% in 0.1% steps; Auto-zooming		
	FAX SPECIFICATIONS			
FAX SPECIFICATIONS	Fax standard	Super G3 (optional)		

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,100 (single + group)

USER BOX SPECIFICATIONS

Storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public; Personal (with password or authentication); Group (with authentication)
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt; Fax polling

SYSTEM FEATURES

Security Functions (standard)	ISO 15408 HCD-PP Common Criteria (in evalutation); IP filtering and port blocking; SSL2; SSL3 and TLS1.0/1.1/1.2 network communication; IPsec	
	support; IEEE 802.1x support; User authentication; Authentication log; Secure print; Kerberos; Hard disk overwrite (8 standard types); Hard disk	
	data encryption (AES 256); Memory data auto deletion; Confidential fax receipt; Print user data encryption	
Accounting (standard)	Up to 1,000 user accounts; Active Directory support (user name + password + e-mail + smb folder); User function access definition	
Accounting Functions (optional)	Biometric authentication (finger vein scanner); ID card authentication (ID card reader); Authentication by mobile device (Android/iOS)	
Software	PageScope Net Care Device Manager; PageScope Data Administrator; PageScope Box Operator; PageScope Web Connection; Print Status	
	Notifier; Driver Packaging Utility; Log Management Utility	

¹ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- ² Warm-up time may vary depending on the operating environment and usage
- All specifications refer to A4-size paper of 80 g/m² quality.
 The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (6% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged

bizhub c360i/c300i/c250i























https://www.konicaminolta.hk/hk/en-us/product-item/1-1/

${\bf Product\ appearance, configuration\ and/or\ specifications\ are\ subject\ to\ change\ without\ notice.}$ This product is not available for some countries or regions.

KONICA MINOLTA, the KONICA MINOLTA logo, symbol mark, Giving Shape to Ideas, bizhub, INFO-Palette, i-Option and Konica Minolta Optimised Print Services and their respective logos are registered trademarks or trademarks of KONICA MINOLTA, INC. Evernote is a registered trademark or trademark of Evernote Corporation. Android, Google Drive, Gmail, Google Play and Google Cloud Print are registered trademarks or trademarks of Google Inc. in the U.S. and other countries. Mac OS, iPhone, iPad, App Store and AirPrint are registered trademarks or trademarks of Apple Inc. in the U.S. and other countries. iOS is a registered trademark or trademark of Cisco in the U.S. and other countries. Mopria is a registered trademark or trademark of Mopria Alliance Inc. NFC is a registered trademark or trademark of the NFC Forum. All other brands and product names are registered trademarks or trademarks of their respective companies or organisations.



i-Series Search

